

Department of Public Works

County of Butte

J. Michael Crump, *Director*
Shawn H. O'Brien, *Assistant Director*

7 County Center Drive
Oroville, CA 95965-3397
(530) 538-7681
(FAX) (530) 538-7171

ADDENDUM NO. 1

PAGE 1 OF 2

RE: The Construction of S.R. 99 Frontage Road
County Project No. 50255C-2005-1
(File No. 243.2231)

ATTENTION: All plan holders and prospective bidders for the above-noted project.

ADDENDUM NO. 1: Changes to the Special Provisions for:

“The Construction of S.R. 99 Frontage Road”

The following changes and/or clarifications are hereby made to the contract special provisions and shall become a part of said contract documents for the construction of said improvements:

SPECIAL PROVISIONS

SECTION NC-1 – Notice to Contractors:

AD1 – Item 1: Delete the first paragraph of the Document NC-1 – “Notice to Contractors” and replace with the following:

“Sealed proposals will be received at the office of the Director of Public Works, 7 County Center Drive, Oroville, California, until **10:00 A.M. on August 20, 2009** at which time they will be publicly opened and read aloud for construction in accordance with the project specifications and plans to which special reference is made, as follows:”

AD-1 - Item 2:

SECTION D – Construction Details:

PAGE SPD-41 Item No. 24 Leach Trench: Delete the first paragraph and replace with the following:

Leach Trenches shall be installed per Butte County Standard Detail S-38, and to the dimensions and specifications as shown on the plans including plastic perforated pipe. Drain rock shall be 3/4” min, washed rock, which shall supersede the drain rock dimensions shown on the plans. Drain rock shall be wrapped in filter fabric on all sides, top, and bottom with minimum 1-foot overlap at the seams. Filter fabric shall conform to the provisions in Section 88-1.03 of the Standard Specifications and these Special Provisions. Excavation shall be completed using the latest standards for shoring to protect all involved in the trenching process.

ADDENDUM NO. 1 (Continued)

PAGE 2 OF 2

PROPOSAL:

AD1 – Item 3: Delete Page PF-2 of the Proposal and replace with the attached revised Page PF-2 to be inserted into the Special Provisions (*This revises Line Item No.20: Dimensions of Leach Trench to read “Leach Trench(21’W x 6’ D Butte Co. Std. S-38)” instead of “Leach Trench(18’W x 6’ D Butte Co. Std S-38)”*).


CONTRACT:

AD1 – Item 4: Delete Page CF-2 of the Contract and replace with the attached revised Page CF-2 to be inserted into the Special Provisions (*This revises Line Item No.20: Dimensions of Leach Trench to read “Leach Trench(21’W x 6’ D Butte Co. Std. S-38)” instead of “Leach Trench(18’W x 6’ D Butte Co. Std S-38)”*).

The bidder’s attention is directed to page PF-S (Proposal Signature Page) in reference to acknowledgement of receipt of all addenda.

Dated: August 17, 2009

Signed:



Mike Crump, Director
Butte County Department of Public Works

Item No.	Item Description	Unit of Measure	Estimated Quantity	Item Price In Figures	Total In Figures
1	Clearing and Grubbing	LS	LS		
2	Traffic Control	LS	LS		
3	Develop Water Supply	LS	LS		
4	Construction Site Management	LS	LS		
5	Storm Water Pollution Prevention Plan (SWPPP)	LS	LS		
6	Pavement Grinding	LS	LS		
7	Final Erosion Control (Type D)	LS	LS		
8	Roadway Excavation	CY	4,715		
9	Aggregate Base (Class 2)	TON	7,176		
10	Asphalt Concrete (Type A, 1/2" max., med. gr.)	TON	2,417		
11	Asphalt Concrete-Misc. (Areas - Type A, 1/2" max)	SY	30		
12	Paving Asphalt Binder(SC-250 Prime Coat)	TON	8.0		
13	Sand Cover	TON	59		
14	Corrugated Metal Pipe(CMP - 15" Diameter)	LF	2		
15	Flared End Section (CMP - 15" Diameter)	EA	1		
16	Plastic Pipe (HDPE 12" Diameter - Drainage)	LF	110		
17	Plastic Pipe (HDPE 18" Diameter - Drainage)	LF	312		
18	Plastic Pipe (HDPE 36" Diameter - Drainage)	LF	76		
19	Leach Trench(6'W x 5'D Butte Co. Std S-38)	LF	420		
20	Leach Trench(21'W x 6'D Butte Co. Std S-38)	LF	45		
21	Cleanouts (Butte Co. Std S-22 & S-23)	EA	2		
22	Manhole (4-Foot Diameter, Butte Co. Std S-19)	EA	4		
23	Drainage Inlet(Type GO, Butte Co. Std S-8-C)	EA	1		
24	Drainage Inlet(Type GO, Butte Co. Std S-8)	EA	4		
25	Drainage Inlet(Type GOL, CalTrans Modified D-72)	EA	1		
26	Concrete Driveway Approach(Butte Co. Std S-3A)	SF	260		
27	Concrete Driveway Apron (4" Thickness)	SF	207		
28	Concrete Pedestrian Ramp (Butte Co. Std S-5, Type-A)	EA	4		
29	Concrete Curb & Gutter (Butte Co. Std S-1)	LF	2,695		
30	Concrete Sidewalk (5-Foot Width, Butte Co. Std S-1)	SF	6,940		
31	Concrete Cross-Gutter (Butte Co. Std S-4)	EA	2		
32	4" Thermoplastic Traffic Stripe	LF	3,374		
33	Thermoplastic Pavement Markings	SF	258		
34	Pavement Markers (Retro-Reflective)	EA	152		
35	Guard Panel (Butte Co. Std. S-30)	EA	1		
36	Stop Sign(Butte Co. Std. S-13)	EA	1		
37	Temporary Straw Mulch	SY	2,500		
38	Temporary Fiber Roll	LF	1,100		
39	Street Sweeping	LS	LS		
40	Wind Erosion Control	LS	LS		
(SHOW TOTAL ON PAGE PF-1)			TOTAL		

PF-2

Revised per Addendum No . 1

Item No.	Item Description	Unit of Measure	Estimated Quantity	Item Price In Figures	Total In Figures
1	Clearing and Grubbing	LS	LS		
2	Traffic Control	LS	LS		
3	Develop Water Supply	LS	LS		
4	Construction Site Management	LS	LS		
5	Storm Water Pollution Prevention Plan (SWPPP)	LS	LS		
6	Pavement Grinding	LS	LS		
7	Final Erosion Control (Type D)	LS	LS		
8	Roadway Excavation	CY	4,715		
9	Aggregate Base (Class 2)	TON	7,176		
10	Asphalt Concrete (Type A, 1/2" max., med. gr.)	TON	2,417		
11	Asphalt Concrete-Misc. (Areas – Type A, 1/2" max)	SY	30		
12	Paving Asphalt Binder(SC-250 Prime Coat)	TON	8.0		
13	Sand Cover	TON	59		
14	Corrugated Metal Pipe(CMP – 15" Diameter)	LF	2		
15	Flared End Section (CMP – 15" Diameter)	EA	1		
16	Plastic Pipe (HDPE 12" Diameter - Drainage)	LF	110		
17	Plastic Pipe (HDPE 18" Diameter - Drainage)	LF	312		
18	Plastic Pipe (HDPE 36" Diameter - Drainage)	LF	76		
19	Leach Trench(6'W x 5'D Butte Co. Std S-38)	LF	420		
20	Leach Trench(21'W x 6'D Butte Co. Std S-38)	LF	45		
21	Cleanouts (Butte Co. Std S-22 & S-23)	EA	2		
22	Manhole (4-Foot Diameter, Butte Co. Std S-19)	EA	4		
23	Drainage Inlet(Type GO, Butte Co. Std S-8-C)	EA	1		
24	Drainage Inlet(Type GO, Butte Co. Std S-8)	EA	4		
25	Drainage Inlet(Type GOL, CalTrans Modified D-72)	EA	1		
26	Concrete Driveway Approach(Butte Co. Std S-3A)	SF	260		
27	Concrete Driveway Apron (4" Thickness)	SF	207		
28	Concrete Pedestrian Ramp (Butte Co. Std S-5, Type-A)	EA	4		
29	Concrete Curb & Gutter (Butte Co. Std S-1)	LF	2,695		
30	Concrete Sidewalk (5-Foot Width, Butte Co. Std S-1)	SF	6,940		
31	Concrete Cross-Gutter (Butte Co. Std S-4)	EA	2		
32	4" Thermoplastic Traffic Stripe	LF	3,374		
33	Thermoplastic Pavement Markings	SF	258		
34	Pavement Markers (Retro-Reflective)	EA	152		
35	Guard Panel (Butte Co. Std. S-30)	EA	1		
36	Stop Sign(Butte Co. Std. S-13)	EA	1		
37	Temporary Straw Mulch	SY	2,500		
38	Temporary Fiber Roll	LF	1,100		
39	Street Sweeping	LS	LS		
40	Wind Erosion Control	LS	LS		
(SHOW TOTAL ON PAGE PF-1)			TOTAL		

CF-2

Revised per Addendum No . 1