

**BUTTE COUNTY PUBLIC HEALTH DEPARTMENT
DIVISION OF ENVIRONMENTAL HEALTH
FOOD PROGRAM OFFICIAL INSPECTION REPORT**

DBA/NAME Sycamore Glen		DATE 12/11/08
ADDRESS 1199 Diablo Avenue, Chico, CA 95926		RECHECK DATE
OWNER/OPERATOR		SITE # 2227
MAILING ADDRESS		CORRECT MAJOR VIOLATIONS BY:
INVENTORY TYPE 16F- 25	SERVICE 01	CORRECT MINOR VIOLATIONS BY: 30 days

See reverse side for the code sections and general requirements that correspond to each violation listed below

IN = In Compliance N/O = Not Observed N/A = Not Applicable OUT = Out of Compliance COS = Corrected On-Site MAJ = Major Violation													
IN	N/O	N/A	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT	IN	N/O	N/A	PROTECTION FROM CONTAMINATION	COS	MAJ	OUT
√			1. Demonstration of knowledge; food safety certification				√			12. Proper procedures followed for returned and reserve of food			
			Food Safety Certificate Exp Date 2/22/13				√			13. Food in good condition, safe and unadulterated			
EMPLOYEE HEALTH & HYGIENIC PRACTICES							√			14. Food contact surfaces: clean and sanitized			
√			2. Communicable disease; reporting, restrictions & exclusions				FOOD FROM APPROVED SOURCES						
√			3. No discharge from eyes, nose, and mouth				√			15. Food obtained from approved source			
			4. Proper eating, tasting, drinking or tobacco use			√		√		16. Shell stock with completed tags, in good condition, properly stored/displayed			
√			5. Hands clean and properly washed; gloves used properly					√		17. Compliance with Gulf Oyster Regulations			
√			6. Adequate handwashing facilities supplied & accessible				SPECIAL PROCEDURES						
TIME AND TEMPERATURE RELATIONSHIPS									√	18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
√			7. Proper hot and cold holding temperatures					√		19. Consumer advisory provided for raw or undercooked foods			
		√	8. Time as a public health control: Proper procedures & records					√		20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
			9. Proper cooling methods			√	WATER & WASTE WATER						
√			10. Proper cooking time & temperatures				√			21. Hot and cold water available			
√			11. Proper reheating procedures for hot holding				LIQUID WASTE DISPOSAL						
							√			22. Sewage and wastewater properly disposed			
							VERMIN						
							√			23. No rodents, insects, birds, or animals			
						OUT							OUT
SUPERVISION /PERSONAL CLEANLINESS							38. Adequate ventilation and lighting; designated areas, use						
24. Person in charge present and performs duties							39. Thermometers provided and accurate						
25. Personal cleanliness and hair restraints							40. Wiping cloths: properly used and stored						
GENERAL FOOD SAFETY REQUIREMENTS							PHYSICAL FACILITIES						
26. Approved thawing methods used, frozen food maintained frozen.							41. Plumbing: Plumbing in good repair, proper backflow devices						
27. Food separated and protected							42. Garbage and refuse properly disposed; facilities maintained						
28. Fruits and vegetables washed as required.							43. Toilet facilities: properly constructed, supplied, cleaned						
29. Toxic substances properly identified, stored, used							44. Premises; personal/cleaning items; vermin-proofing						
FOOD STORAGE/ DISPLAY/ SERVICE							PERMANENT FOOD FACILITIES						
30. Food properly stored; food storage containers identified							45. Floor, walls and ceilings: properly built, maintained in good repair, and clean						
31. Consumer self-service facilities properly constructed and maintained							46. No unapproved private homes/ living or sleeping quarters						
32. Food properly labeled & honestly presented							SIGNS, MISC. REQUIREMENTS & ENFORCEMENT						
EQUIPMENT/ UTENSILS/ LINENS							47. Signs posted; last inspection report available						
33. Nonfood contact surfaces clean and in good repair.							48. Plan review required for new or remodel construction						
34. Warewashing facilities: Adequate, maintained, properly used, test strips available							49. Permits Available						
35. Equipment/ Utensils Approved; installed properly, clean; good repair, capacity							50. Impoundment of unsanitary equipment or food						
36. Equipment, utensils and linens: Properly stored and used							51. Permit Suspension						
37. Vending machines							52. Other						

OBSERVATIONS AND CORRECTIVE ACTIONS:

Reinspection fees will be charged for all subsequent reinspections unless an acceptable corrective time schedule has been submitted and approved by this Department. If, for any reasons beyond your control, you cannot correct the indicted violations by the next scheduled time, call this office prior to the inspection day. <input type="checkbox"/>	202 Mira Loma Drive Oroville, CA 95965 (530) 538-7281 or (530) 891-2727 FAX (530) 538-5339 www.buttecounty.net/publichealth/	R.E.H.S.
		RECEIVED BY:
		Page 1 of 2

DBA/NAME Sycamore Glen	DATE 12/11/08
Page 2 of 2	

OBSERVATIONS AND CORRECTIVE ACTIONS

- 4- Observed uncovered employee drink on shelf over in-use prep table. Cover employee drinks to prevent accidental contamination of food.
- 9- Food handler reports food left over at end of dining period is partially cooled at room temperature then covered and placed in walk-in refrigerator. When cooling cooked foods, place in uncovered, shallow containers (at depths of 2 inches or less) and place immediately in walk-in refrigerator until 41°F or below.
- 31- Clean behind nozzles of beverage dispenser to remove accumulated residues. Reported beverage dispenser nozzles are removed for cleaning every week. Clean daily.
- 35- Observed domestic microwave in use at wait station. Replace with NSF approved commercial unit once unit becomes nonoperational. Remove produce stickers from prep table shelf to facilitate cleaning. Clean inside ice machine to remove pink and tan residues.
- 44- Observed wet mops stored with heads down in mop sink. Store mops so as to dry completely between uses.
- 45-a) Observed loose cove base tile under dishwasher. Repair. Clean floors in hard to reach areas (under dishwasher, shelves in walk-in refrigerator and storeroom, ice machine, etc.) and floor sink in wait station to remove accumulated residues/debris/ miscellaneous trash.
 - b) Observed rough patch on ceiling over prep table. Repair to be smooth and easily cleanable. Clean walls where needed, fan box in walk-in refrigerator and air-conditioning vent over prep table to remove accumulated dust. Clean walls by prep sink and dishwasher to remove accumulated black residues.