

**BUTTE COUNTY PUBLIC HEALTH DEPARTMENT  
DIVISION OF ENVIRONMENTAL HEALTH  
FOOD PROGRAM OFFICIAL INSPECTION REPORT**

<b>DBA/NAME</b> Sierra Market		<b>DATE</b> 7/30/09	
<b>ADDRESS</b> 1710 Park Ave., Chico, CA		<b>RECHECK DATE</b>	
<b>OWNER/OPERATOR</b>		<b>SITE #</b> 2306	
<b>MAILING ADDRESS</b>		<b>CORRECT MAJOR VIOLATIONS BY:</b>	
<b>INVENTORY TYPE</b> 16F-12	<b>SERVICE</b> 01	<b>CORRECT MINOR VIOLATIONS BY:</b> 30 days	

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In Compliance    N/O = Not Observed    N/A = Not Applicable    OUT = Out of Compliance    COS = Corrected On-Site    MAJ = Major Violation

IN	N/O	N/A	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT	IN	N/O	N/A	PROTECTION FROM CONTAMINATION	COS	MAJ	OUT
		X	1. Demonstration of knowledge; food safety certification						X	12. Proper procedures followed for returned and reservice of food			
			Food Safety Certificate Exp Date				X			13. Food in good condition, safe and unadulterated			
<b>EMPLOYEE HEALTH &amp; HYGIENIC PRACTICES</b>								X		14. Food contact surfaces: clean and sanitized			
X			2. Communicable disease; reporting, restrictions & exclusions				<b>FOOD FROM APPROVED SOURCES</b>						
X			3. No discharge from eyes, nose, and mouth				X			15. Food obtained from approved source			
		X	4. Proper eating, tasting, drinking or tobacco use						X	16. Shell stock with completed tags, in good condition, properly stored/displayed			
X			5. Hands clean and properly washed; gloves used properly						X	17. Compliance with Gulf Oyster Regulations			
X			6. Adequate handwashing facilities supplied & accessible				<b>SPECIAL PROCEDURES</b>						
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>									X	18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
X			7. Proper hot and cold holding temperatures						X	19. Consumer advisory provided for raw or undercooked foods			
		X	8. Time as a public health control: Proper procedures & records						X	20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
		X	9. Proper cooling methods				<b>WATER &amp; WASTE WATER</b>						
		X	10. Proper cooking time & temperatures				X			21. Hot and cold water available			
		X	11. Proper reheating procedures for hot holding				<b>LIQUID WASTE DISPOSAL</b>						
							X			22. Sewage and wastewater properly disposed			
							<b>VERMIN</b>						
							X			23. No rodents, insects, birds, or animals			
						<b>OUT</b>							<b>OUT</b>
<b>SUPERVISION /PERSONAL CLEANLINESS</b>							<b>38. Adequate ventilation and lighting; designated areas, use</b>						
24. Person in charge present and performs duties							39. Thermometers provided and accurate						
25. Personal cleanliness and hair restraints							40. Wiping cloths: properly used and stored						
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>							<b>PHYSICAL FACILITIES</b>						
26. Approved thawing methods used, frozen food maintained frozen.							X	41. Plumbing: Plumbing in good repair, proper backflow devices					
27. Food separated and protected							42. Garbage and refuse properly disposed; facilities maintained						
28. Fruits and vegetables washed as required.							43. Toilet facilities: properly constructed, supplied, cleaned						
29. Toxic substances properly identified, stored, used							X	44. Premises; personal/cleaning items; vermin-proofing					
<b>FOOD STORAGE/ DISPLAY/ SERVICE</b>							<b>PERMANENT FOOD FACILITIES</b>						
30. Food properly stored; food storage containers identified							45. Floor, walls and ceilings: properly built, maintained in good repair, and clean						
31. Consumer self-service facilities properly constructed and maintained							46. No unapproved private homes/ living or sleeping quarters						
32. Food properly labeled & honestly presented							X	<b>SIGNS, MISC. REQUIREMENTS &amp; ENFORCEMENT</b>					
<b>EQUIPMENT/ UTENSILS/ LINENS</b>							47. Signs posted: last inspection report available						
33. Nonfood contact surfaces clean and in good repair.							48. Plan review required for new or remodel construction						
34. Warewashing facilities: Adequate, maintained, properly used, test strips available							X	49. Permits Available					
35. Equipment/ Utensils Approved; installed properly, clean; good repair, capacity							X	50. Impoundment of unsanitary equipment or food					
36. Equipment, utensils and linens: Properly stored and used							X	51. Permit Suspension					
37. Vending machines							52. Other						

**OBSERVATIONS AND CORRECTIVE ACTIONS:**

See page 2.

Reinspection fees will be charged for all subsequent reinspections unless an acceptable corrective time schedule has been submitted and approved by this Department. If, for any reasons beyond your control, you cannot correct the indicated violations by the next scheduled time, call this office prior to the inspection day.

202 Mira Loma Drive  
Oroville, CA 95965  
(530) 538-7281 or (530) 891-2727  
FAX (530) 538-5339  
[www.buttecounty.net/publichealth/](http://www.buttecounty.net/publichealth/)

**R.E.H.S.**

**RECEIVED BY:**

Page 1 of 2

<b>DBA/NAME Sierra Market</b>	<b>DATE 7/30/09</b>
<b>Page 2 of 2</b>	

**OBSERVATIONS AND CORRECTIVE ACTIONS**

- 6) Hand sink has been removed from the back utensil sink room- replace. Refill the empty paper towel dispenser at the restroom hand sink.
- 26,35) Observed many packaged foods in the display freezer (air temperature 29°F) to not be in a frozen state. Maintain frozen foods in a frozen state- adjust freezer as needed. Replace ripped door seal on the display freezer.
- 29) Label spray bottle (green liquid) as to contents.
- 32) Incomplete labels observed on ice bagged at this facility. Provide labels that include facility name and address.
- 34) Observed many spoils/liquor bottles stored inside utensil sink and on drain boards. Keep utensil sink clean and available for utensil washing.
- 35) Replace ripped door seal on the display refrigerator where eggs/milk stored. Walk-in cooler door does not close completely- repair.
- 36) Chain/secure all CO2 tanks to a rigid structure.
- 38) Provide shatterproof bulbs/covers for overhead lighting at ice machine.
- 43) Observed boxes of canned beverage stored on floor in restroom.
- 44) Front door was open during inspection. Keep door closed to prevent entrance of vermin.