

**BUTTE COUNTY PUBLIC HEALTH DEPARTMENT
DIVISION OF ENVIRONMENTAL HEALTH
FOOD PROGRAM OFFICIAL INSPECTION REPORT**

DBA/NAME Ray's Superstore		DATE 8-28-08	
ADDRESS 207 Walnut St, Chico		RECHECK DATE	
OWNER/OPERATOR		SITE # 2375	
MAILING ADDRESS		CORRECT MAJOR VIOLATIONS BY:	
INVENTORY TYPE 16F- 14	SERVICE 01	CORRECT MINOR VIOLATIONS BY: 21 days	

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In Compliance N/O = Not Observed N/A = Not Applicable OUT = Out of Compliance COS = Corrected On-Site MAJ = Major Violation													
IN	N/O	N/A	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT	IN	N/O	N/A	PROTECTION FROM CONTAMINATION	COS	MAJ	OUT
		x	1. Demonstration of knowledge; food safety certification				x			12. Proper procedures followed for returned and reservice of food			
			Food Safety Certificate Exp Date _____				x			13. Food in good condition, safe and unadulterated			
EMPLOYEE HEALTH & HYGIENIC PRACTICES													
x			2. Communicable disease; reporting, restrictions & exclusions				FOOD FROM APPROVED SOURCES						
x			3. No discharge from eyes, nose, and mouth				x			15. Food obtained from approved source			
x			4. Proper eating, tasting, drinking or tobacco use						x	16. Shell stock with completed tags, in good condition, properly stored/displayed			
	x		5. Hands clean and properly washed; gloves used properly						x	17. Compliance with Gulf Oyster Regulations			
			6. Adequate handwashing facilities supplied & accessible			x	SPECIAL PROCEDURES						
TIME AND TEMPERATURE RELATIONSHIPS													
x			7. Proper hot and cold holding temperatures						x	18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
		x	8. Time as a public health control: Proper procedures & records						x	19. Consumer advisory provided for raw or undercooked foods			
x			9. Proper cooling methods						x	20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
x			10. Proper cooking time & temperatures				WATER & WASTE WATER						
x			11. Proper reheating procedures for hot holding				x			21. Hot and cold water available			
LIQUID WASTE DISPOSAL													
							x			22. Sewage and wastewater properly disposed			
VERMIN													
							x			23. No rodents, insects, birds, or animals			
SUPERVISION /PERSONAL CLEANLINESS						OUT							OUT
24. Person in charge present and performs duties							38. Adequate ventilation and lighting; designated areas, use						
25. Personal cleanliness and hair restraints							39. Thermometers provided and accurate						
GENERAL FOOD SAFETY REQUIREMENTS													
26. Approved thawing methods used, frozen food maintained frozen.							40. Wiping cloths: properly used and stored						
27. Food separated and protected							PHYSICAL FACILITIES						
28. Fruits and vegetables washed as required.							41. Plumbing: Plumbing in good repair, proper backflow devices						
29. Toxic substances properly identified, stored, used							42. Garbage and refuse properly disposed; facilities maintained						
30. Food properly stored; food storage containers identified							43. Toilet facilities: properly constructed, supplied, cleaned						
31. Consumer self-service facilities properly constructed and maintained							44. Premises; personal/cleaning items; vermin-proofing						
32. Food properly labeled & honestly presented							PERMANENT FOOD FACILITIES						
EQUIPMENT/ UTENSILS/ LINENS													
33. Nonfood contact surfaces clean and in good repair.							45. Floor, walls and ceilings: properly built, maintained in good repair, and clean						
34. Warewashing facilities: Adequate, maintained, properly used, test strips available							46. No unapproved private homes/ living or sleeping quarters						
35. Equipment/ Utensils Approved; installed properly, clean; good repair, capacity							SIGNS, MISC. REQUIREMENTS & ENFORCEMENT						
36. Equipment, utensils and linens: Properly stored and used							47. Signs posted; last inspection report available						
37. Vending machines							48. Plan review required for new or remodel construction						
							49. Permits Available						
							50. Impoundment of unsanitary equipment or food						
							51. Permit Suspension						
							52. Other						

OBSERVATIONS AND CORRECTIVE ACTIONS:

See second page.

Reinspection fees will be charged for all subsequent reinspections unless an acceptable corrective time schedule has been submitted and approved by this Department. If, for any reasons beyond your control, you cannot correct the indicted violations by the next scheduled time, call this office prior to the inspection day. <input type="checkbox"/>	202 Mira Loma Drive Oroville, CA 95965 (530) 538-7281 or (530) 891-2727 FAX (530) 538-5339 www.buttecounty.net/publichealth/	R.E.H.S. RECEIVED BY: mailed/ faxed Page 1 of 2
---	---	---

OBSERVATIONS AND CORRECTIVE ACTIONS

- 6- Provide soap and paper towel dispensers at hand sink in utensil washing room. No paper towels in dispenser(s) in restrooms. Roll of paper towels placed in restroom during inspection.
- 14- Clean beverage dispenser nozzles and area around nozzles of some sticky residues, etc.
- 30- No manufacturer's name or address observed on bags of ice made at Ray's Superstore.
- 33- Clean cabinets and counter at beverage dispensers of residues and some dust accumulation.
- 34- Clean and then sanitize utensil sink compartments of misc. residues, etc. Replace missing utensil sink drain plugs so that utensil sink compartments can be filled with water for dishwashing.
- 35- a) Replace domestic equipment (ie: coffee makers and microwave oven)—all equipment shall be NSF approved, commercial equipment.
b) Small walk-in cooler air temperature 62°- 64° F at time of inspection—no potentially hazardous foods stored in this walk-in cooler. Refrigeration repair company called during inspection.
- 38- Provide cover on light above/ near ice machine.
- 44- Front doors observed open; air curtain not operating. Either keep doors closed or turn on air curtain when doors are propped open.
- 45- a) Provide a smooth, easily cleanable, self-coved floor at beverage dispensing counter/ cabinet.
b) Provide smooth, easily cleanable walls (lower 4 feet) in employee restroom. Finish patching hole in lower area of wall in utensil washing room (near water heater).
c) Repair damaged area of ceiling in keg walk-in cooler so as to be smooth, easily cleanable, non-absorbent and in good repair.

Note: Kitchen and walk-in cooler in basement are not being used at this time.