

**BUTTE COUNTY PUBLIC HEALTH DEPARTMENT  
DIVISION OF ENVIRONMENTAL HEALTH  
FOOD PROGRAM OFFICIAL INSPECTION REPORT**

<b>DBA/NAME</b> La Posada		<b>DATE</b> 7/17/08
<b>ADDRESS</b> 5742 Skyway, Paradise, CA 95969		<b>RECHECK DATE</b> 1+ day
<b>OWNER/OPERATOR</b>		<b>SITE #</b> 3005
<b>MAILING ADDRESS</b>		<b>CORRECT MAJOR VIOLATIONS BY:</b> IMMEDIATELY
<b>INVENTORY TYPE</b> 16F- 24	<b>SERVICE</b> 03	<b>CORRECT MINOR VIOLATIONS BY:</b>

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In Compliance    N/O = Not Observed    N/A = Not Applicable    OUT = Out of Compliance    COS = Corrected On-Site    MAJ = Major Violation													
IN	N/O	N/A	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT	IN	N/O	N/A	PROTECTION FROM CONTAMINATION	COS	MAJ	OUT
			1. Demonstration of knowledge; food safety certification							12. Proper procedures followed for returned and reserve of food			
			Food Safety Certificate Exp Date							13. Food in good condition, safe and unadulterated			
<b>EMPLOYEE HEALTH &amp; HYGIENIC PRACTICES</b>										14. Food contact surfaces: clean and sanitized			
			2. Communicable disease; reporting, restrictions & exclusions				<b>FOOD FROM APPROVED SOURCES</b>						
			3. No discharge from eyes, nose, and mouth							15. Food obtained from approved source			
			4. Proper eating, tasting, drinking or tobacco use							16. Shell stock with completed tags, in good condition, properly stored/displayed			
			5. Hands clean and properly washed; gloves used properly							17. Compliance with Gulf Oyster Regulations			
			6. Adequate handwashing facilities supplied & accessible				<b>SPECIAL PROCEDURES</b>						
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>										18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
			7. Proper hot and cold holding temperatures			√				19. Consumer advisory provided for raw or undercooked foods			
			8. Time as a public health control: Proper procedures & records							20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
			9. Proper cooling methods				<b>WATER &amp; WASTE WATER</b>						
			10. Proper cooking time & temperatures							21. Hot and cold water available			
			11. Proper reheating procedures for hot holding				<b>LIQUID WASTE DISPOSAL</b>						
<b>REFRIGERATOR INSPECTION ONLY</b>										22. Sewage and wastewater properly disposed			
<b>RE-INSPECTION FEES APPLY TO THIS AND SUBSEQUENT INSPECTIONS</b>							<b>VERMIN</b>						
						OUT				23. No rodents, insects, birds, or animals			OUT
<b>SUPERVISION /PERSONAL CLEANLINESS</b>										38. Adequate ventilation and lighting; designated areas, use			
			24. Person in charge present and performs duties							39. Thermometers provided and accurate			
			25. Personal cleanliness and hair restraints							40. Wiping cloths: properly used and stored			
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>							<b>PHYSICAL FACILITIES</b>						
			26. Approved thawing methods used, frozen food maintained frozen.							41. Plumbing: Plumbing in good repair, proper backflow devices			
			27. Food separated and protected							42. Garbage and refuse properly disposed; facilities maintained			
			28. Fruits and vegetables washed as required.							43. Toilet facilities: properly constructed, supplied, cleaned			
			29. Toxic substances properly identified, stored, used							44. Premises; personal/cleaning items; vermin-proofing			
<b>FOOD STORAGE/ DISPLAY/ SERVICE</b>							<b>PERMANENT FOOD FACILITIES</b>						
			30. Food properly stored; food storage containers identified							45. Floor, walls and ceilings: properly built, maintained in good repair, and clean			
			31. Consumer self-service facilities properly constructed and maintained							46. No unapproved private homes/ living or sleeping quarters			
			32. Food properly labeled & honestly presented				<b>SIGNS, MISC. REQUIREMENTS &amp; ENFORCEMENT</b>						
<b>EQUIPMENT/ UTENSILS/ LINENS</b>										47. Signs posted; last inspection report available			
			33. Nonfood contact surfaces clean and in good repair.							48. Plan review required for new or remodel construction			
			34. Warewashing facilities: Adequate, maintained, properly used, test strips available							49. Permits Available			
			35. Equipment/ Utensils Approved; installed properly, clean; good repair, capacity			√				50. Impoundment of unsanitary equipment or food			
			36. Equipment, utensils and linens: Properly stored and used							51. Permit Suspension			
			37. Vending machines							52. Other			

**OBSERVATIONS AND CORRECTIVE ACTIONS:**

---



---



---

Reinspection fees will be charged for all subsequent reinspections unless an acceptable corrective time schedule has been submitted and approved by this Department. If, for any reasons beyond your control, you cannot correct the indicted violations by the next scheduled time, call this office prior to the inspection day. <input type="checkbox"/>	202 Mira Loma Drive Oroville, CA 95965 (530) 538-7281 or (530) 891-2727 FAX (530) 538-5339 <a href="http://www.buttecounty.net/publichealth/">www.buttecounty.net/publichealth/</a>	<b>R.E.H.S.</b>
		<b>RECEIVED BY:</b>
		Page 1 of 2

DBA/NAME La Posada	DATE 7/17/08
Page 2 of 2	

**OBSERVATIONS AND CORRECTIVE ACTIONS**

7, 35- a) Observed sour cream (47°F) in top section of prep refrigerator and individually wrapped portions of uncooked beef steak (46°F-48°F) and chicken (49°F-50°F) in bottom section of prep refrigerator (air temperature 57-58°F).

b) Observed individually wrapped portions of chicken and beef (48°F) in refrigerator by time clock (air temperature 48°F).

c) Observed several large packages of uncooked beef (49°F-51°F) in left side of two door refrigerator in back storage area (air temperature 50°F left side, 49°F right side).

Adjust/repair and monitor refrigerators to maintain potentially hazardous **foods** at a *minimum internal temperature of 41°F*.

Note: Air temperatures of 38°F or below—in the warmest area of each refrigerator—may be necessary to maintain internal food temperatures at 41°F or below.

35- Observed left side door to prep refrigerator to fall off on opening. Repair to open and close properly.

REFRERATION INSPECTION ONLY. RE-INSEPTION FEES APPLY TO THIS AND SUBSEQUENT INSPECTIONS

Continue to correct other violations from report dated 7/1/08.