

**BUTTE COUNTY PUBLIC HEALTH DEPARTMENT  
DIVISION OF ENVIRONMENTAL HEALTH  
FOOD PROGRAM OFFICIAL INSPECTION REPORT**

<b>DBA/NAME Red Lion Pizza</b>		<b>DATE 6/16/09</b>	
<b>ADDRESS 14439 Skyway Magalia, CA</b>		<b>RECHECK DATE 1 + week</b>	
<b>OWNER/OPERATOR</b>		<b>SITE #3058</b>	
<b>MAILING ADDRESS</b>		<b>CORRECT MAJOR VIOLATIONS BY: 24 hours</b>	
<b>INVENTORY TYPE 16F - 23</b>	<b>SERVICE 03</b>	<b>CORRECT MINOR VIOLATIONS BY: 1 week or as noted below</b>	

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In Compliance    N/O = Not Observed    N/A = Not Applicable    OUT = Out of Compliance    COS = Corrected On-Site    MAJ = Major Violation													
IN	N/O	N/A	DEMONSTRATION OF KNOWLEDGE	COS	MAJ	OUT	IN	N/O	N/A	PROTECTION FROM CONTAMINATION	COS	MAJ	OUT
			1. Demonstration of knowledge; food safety certification							12. Proper procedures followed for returned and reservice of food			
			Food Safety Certificate Exp Date 1/11/2010							13. Food in good condition, safe and unadulterated			
			<b>EMPLOYEE HEALTH &amp; HYGIENIC PRACTICES</b>							14. Food contact surfaces: clean and sanitized			
			2. Communicable disease; reporting, restrictions & exclusions							<b>FOOD FROM APPROVED SOURCES</b>			
			3. No discharge from eyes, nose, and mouth							15. Food obtained from approved source			
			4. Proper eating, tasting, drinking or tobacco use							16. Shell stock with completed tags, in good condition, properly stored/displayed			
			5. Hands clean and properly washed; gloves used properly							17. Compliance with Gulf Oyster Regulations			
√			6. Adequate handwashing facilities supplied & accessible							<b>SPECIAL PROCEDURES</b>			
			<b>TIME AND TEMPERATURE RELATIONSHIPS</b>							18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
			7. Proper hot and cold holding temperatures			√				19. Consumer advisory provided for raw or undercooked foods			
			8. Time as a public health control: Proper procedures & records							20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
√			9. Proper cooling methods							<b>WATER &amp; WASTE WATER</b>			
			10. Proper cooking time & temperatures							21. Hot and cold water available Temp		√	√
			11. Proper reheating procedures for hot holding							<b>LIQUID WASTE DISPOSAL</b>			
										22. Sewage and wastewater properly disposed			
										<b>VERMIN</b>			
										23. No rodents, insects, birds, or animals			
						OUT							OUT
			<b>SUPERVISION /PERSONAL CLEANLINESS</b>							38. Adequate ventilation and lighting; designated areas, use			
			24. Person in charge present and performs duties							39. Thermometers provided and accurate			
			25. Personal cleanliness and hair restraints							40. Wiping cloths: properly used and stored			√
			<b>GENERAL FOOD SAFETY REQUIREMENTS</b>							<b>PHYSICAL FACILITIES</b>			
			26. Approved thawing methods used, frozen food maintained frozen.							41. Plumbing: Plumbing in good repair, proper backflow devices			
			27. Food separated and protected							42. Garbage and refuse properly disposed; facilities maintained			
			28. Fruits and vegetables washed as required.							43. Toilet facilities: properly constructed, supplied, cleaned			
			29. Toxic substances properly identified, stored, used							44. Premises; personal/cleaning items; vermin-proofing			
			<b>FOOD STORAGE/ DISPLAY/ SERVICE</b>							<b>PERMANENT FOOD FACILITIES</b>			
			30. Food properly stored; food storage containers identified							45. Floor, walls and ceilings: properly built, maintained in good repair, and clean			√
			31. Consumer self-service facilities properly constructed and maintained							46. No unapproved private homes/ living or sleeping quarters			
			32. Food properly labeled & honestly presented							<b>SIGNS, MISC. REQUIREMENTS &amp; ENFORCEMENT</b>			
			<b>EQUIPMENT/ UTENSILS/ LINENS</b>							47. Signs posted; last inspection report available			
			33. Nonfood contact surfaces clean and in good repair.							48. Plan review required for new or remodel construction			
			34. Warewashing facilities: Adequate, maintained, properly used, test strips available							49. Permits Available			
			35. Equipment/ Utensils Approved; installed properly, clean; good repair, capacity			√				50. Impoundment of unsanitary equipment or food			
			36. Equipment, utensils and linens: Properly stored and used							51. Permit Suspension			
			37. Vending machines							52. Other			

**OBSERVATIONS AND CORRECTIVE ACTIONS:**

Reinspection fees will be charged for all subsequent reinspections unless an acceptable corrective time schedule has been submitted and approved by this Department. If, for any reasons beyond your control, you cannot correct the indicted violations by the next scheduled time, call this office prior to the inspection day. <input type="checkbox"/>	202 Mira Loma Drive Oroville, CA 95965 (530) 538-7281 or (530) 891-2727 FAX (530) 538-5339 <a href="http://www.buttecounty.net/publichealth/">www.buttecounty.net/publichealth/</a>	<b>R.E.H.S.</b>
		<b>RECEIVED BY:</b>
	Page 1 of 2	

<b>DBA/NAME Red Lion Pizza</b>	<b>DATE 6/16/09</b>
Food Safety Cert Name:	<b>Exp. Date: 1/11/2010</b>
<b>Page 2 of 2</b>	

**OBSERVATIONS AND CORRECTIVE ACTIONS**

- 7, 35)** Refrigerator temperature was 54-54°F in the front and right top portion of unit upon inspection. Repeat Violation. Repair/adjust refrigerator so as to maintain potentially hazardous foods at or below 41°F. If refrigerator does not maintain 41°F or below refrigerator shall be replaced with an NSF approved commercial unit.
- 21)** Hot water at utensil sink is 99°F rather than a minimum of 120°F as required, reportedly due to dishes being recently washed. Replace hot water heater with a unit sufficient to maintain a minimum of 120°F.
- 40)** Sanitizer container was dirty/turbid upon inspection.
- 45)** Observed temporary floor repairs at back door of kitchen. Observed vinyl floor separating from floor/tearing under/behind oven/refrigerator. Repair damaged areas of floors so as to be smooth, easily cleanable and durable.