

DBA/NAME Fastrip #47	DATE 2/26/10
Page 2 of 2 9190 Skyway, Paradise, CA 95969	3227

OBSERVATIONS AND CORRECTIVE ACTIONS

- 14- No utensil cleaning observed. Ensure proper utensil cleaning procedure used for all jerky tongs/coffee urns, etc. Proper utensil cleaning procedure is 1. Wash with hot, soapy water, 2. Rinse with clear water, 3. Sanitize with approved sanitizer (i.e.: 1 oz bleach to 4 gallons water), 4. Air dry on clean drain board.
- 21- Observed hot water at utensil sink faucet a 94°F. REPEAT VIOLATION.
Adjust/repair hot water heater to maintain minimum 120°F.
- 30- Observed cans and bottles of soda stored in containers of melted ice. REPEAT VIOLATION. Keep melted ice drained to prevent spread of bacteria.
- 31- Clean behind and between nozzles of beverage dispenser to remove accumulated black residues.
- 33- Observed pooled beverage syrup in cabinet under cappuccino machine and coffee residues in cabinet under tea dispenser. Clean. Observed water damaged laminate in cabinet under utensil sink, missing laminate on counter by utensil sink and hand sink and damaged laminate on cabinet by trash receptacle at customer self-service counter. Repair where needed to be smooth, nonabsorbent and easily cleanable.
- 35- Observed glass on slide top door of freezer storing ice cream bars to be repaired with cardboard. REPEAT VIOLATION. Remove cardboard and properly repair. Same sliding door does not "catch" when opened, allowing door to fall off on opening. Repair to open and close properly. Clean inside ice machine to remove accumulated black residues.
- 36- Observed CO2 tanks in back room to be unchained. Secure to rigid structure.
- 45- Observed hole/peeling ceiling in back restroom. Repair. Clean floor sink under utensil sink to remove accumulated cleaning items (i.e.: packs of water damaged EZ clean tablets). Clean floor under beverage syrup racks to remove pooled beverage syrup and floors by beverage rack to remove sticky residues.

RE-INSEPCION TO FOLLOW IN 14+ DAYS
RE-INSEPCION FEES APPLY TO SUBSEQUENT INSPECTIONS