



PHYLLIS L. MURDOCK, **DIRECTOR**
 MARK A. LUNDBERG, M.D., M.P.H., **HEALTH OFFICER**

WWW.BUTTECOUNTY.NET/PUBLICHEALTH

ENVIRONMENTAL HEALTH DIVISION

SAFE BODY ART ASSESSMENT

FACILITY NAME:

OWNER'S NAME:

FACILITY ADDRESS:

TELEPHONE:

EMAIL:

ASSESSMENT SUMMARY

REQUIREMENT	COMPLIES?	
	YES	NO
ARTICLE 2. RESTRICTIONS ON THE PERFORMANCE OF BODY ART		
119302. AGE AND HEALTH RESTRICTIONS		
119303. INFORMED CONSENT, CLIENT INFORMATION		
119304. EARLOBE PIERCING REQUIREMENTS		
ARTICLE 3. PRACTITIONER REGISTRATION		
119306. REGISTRATION, CERTIFICATION, AND TRAINING		
119307. BLOODBORNE PATHOGEN TRAINING		
119308. PERSONAL HYGIENE, PROTECTIVE CLOTHING, POST-PROCEDURE INSTRUCTION		
119309. WORKPLACE HYGIENE		
119310. JEWELRY SPECIFICATION AND INSERTION		
119311. EQUIPMENT SANITATION		
ARTICLE 4. PERMANENT BODY ART FACILITIES		
119312. HEALTH PERMIT AND PLAN REVIEW		
119313. INFECTION PREVENTION AND CONTROL PLAN		
119314. FACILITY REQUIREMENTS		
119315. STERILIZATION PROCEDURES		
119316. PRACTICE OUT OF VEHICLE		
ARTICLE 5. TEMPORARY BODY ART FACILITIES		
119317. TEMPORARY FACILITY REQUIREMENTS		
119318. SPONSOR PERMIT		

Note: See following pages for detailed findings.

REINSPECTION?	<input type="checkbox"/> No	<input type="checkbox"/> Yes
DATE OF REINSPECTON:	_____	

 Inspector Date

Form Update: November 18, 2009

TEL- 530.538.7281 | 202 MIRA LOMA DRIVE
 FAX- 530.538.5339 | OROVILLE, CA 95965



Safe Body Art Assessment Checklist

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
Article 2. Restrictions on the Performance of Body Art				
119302. (a) Pursuant to Section 653 of the Penal Code, a client shall be at least 18 years of age to be offered or to receive a tattoo or permanent cosmetics application, regardless of parental consent.				
(b) Pursuant to Section 652 of the Penal Code, persons under 18 years of age shall not be offered or receive a body piercing or earlobe piercing unless the piercing is performed in the presence of, or as directed by a notarized release form by, his or her parent or guardian.				
(c) The piercing, tattooing, or application of permanent cosmetics to the nipples or genitals of a minor is prohibited.				
(d) Clearance is required, in writing from a physician and surgeon licensed under Chapter 5 (commencing with Section 2000) of Division 2 of the Business and Professions Code, prior to the performance of body art, if the client has received a recommendation from a physician and surgeon that he or she receive antibiotics prior to dental or surgical procedures.				
119303. (a) Prior to the performance of body art, the client shall read, complete, and sign an informed consent form that shall include, but not be limited to, all of the following information: (1) A description of the procedure. (2) A description of what the client should expect following the procedure, including suggested care and any medical complications that may occur as a result of the procedure. (3) A statement regarding the permanent nature of body art. (4) Postprocedure instructions that include all of the following: (A) Information on the care of the procedure site. (B) Restrictions on physical activities such as bathing, recreational water activities, gardening, or contact with animals, and the duration of the restrictions. (C) Signs and symptoms of infection, including, but not limited to, redness, swelling, tenderness of the procedure site, red streaks going from the procedure site towards the heart, body temperature greater than 99.6°F, or drainage from the procedure site. (D) Signs and symptoms that indicate the need to seek medical care.				
(b) Prior to the performance of body art, the client shall receive, complete, and sign a questionnaire that includes all of the following information: (1) Whether the client may be pregnant. (2) Whether the client has a history of herpes infection at the proposed procedure site, diabetes, allergic reactions to latex or antibiotics, hemophilia or other bleeding disorder, or cardiac valve disease. (3) Whether the client has a history of medication use or is currently using medication, including being prescribed antibiotics prior to dental or surgical procedures. (4) Other risk factors for bloodborne pathogen exposure.				



Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
(c) The questionnaire and all responses shall be considered confidential information. The body art facility shall maintain the privacy of the information and shall not sell, share, or transfer the information.				
119304. The piercing of the ear that does not constitute body art shall be subject to the following requirements: (a) A facility at which ear piercing is conducted shall be safe and sanitary and not constitute a threat to public health and safety as determined by the local enforcement agency.				
(b) A facility at which ear piercing is conducted shall register annually with the local enforcement agency in whose jurisdiction the facility is located.				
(c) The local enforcement agency may charge a fee for registration required by this section.				
(d) A person performing ear piercing shall meet the following requirements before providing services to the public: (1) Be 18 years of age or older. (2) Receive training on how to use the ear piercing device. (3) Receive a minimum of one hour of training on types of bloodborne pathogens and other communicable diseases, the modes of transmission, and methods to control exposure. (4) Receive training on proper hand hygiene and the use of single-use equipment, including, but not limited to, gloves, towels, and disinfectant wipes.				
(e) The part of the mechanical ear stud device that contacts the skin shall be single-use, presterilized stud and clasp only.				
(e) A single-use, presterilized clasp and stud used in ear piercing pursuant to this section shall meet all applicable jewelry requirements in subdivisions (a) and (b) of Section 119310.				
119305. This chapter does not restrict the activities of a physician and surgeon licensed under Chapter 5 (commencing with Section 2000) of Division 2 of the Business and Professions Code. Nothing in this chapter authorizes a practitioner to perform activities that are restricted under Chapter 5 (commencing with Section 2000) of Division 2 of the Business and Professions Code.				
Comments:				
Article 3. Practitioner Registration				
119306. (a) A person shall not perform body art if he or she is not registered with the local enforcement agency.				
(b) As a condition of registration, the applicant shall provide all of the following: (1) Evidence of current hepatitis B vaccination, including applicable boosters, unless the practitioner can demonstrate hepatitis B immunity. (2) Evidence of completion of OSHA Bloodborne Pathogen Training consistent with Section 119307 and pursuant to paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations or its successor. (3) Evidence of completion of an accredited four-hour first aid and CPR training course. (4) Proof that he or she is 18 years of age or older.				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>(5) Self-certification of, knowledge of, and commitment to meet state law and relevant local regulations pertaining to body art safety.</p> <p>(6) His or her business address and the address at which he or she will perform any activity regulated by this chapter.</p> <p>(7) Payment of a registration fee directly to the local enforcement agency. The local enforcement agency shall set the fee at an amount sufficient to cover the actual costs of administering the program.</p>				
<p>(c) A practitioner shall display, in a place readily visible to the public at the body art facility where the practitioner is performing body art, the certificate confirming registration with the local enforcement agency in the jurisdiction in which that practice is conducted.</p>				
<p>(d) A valid and current registration issued by a local enforcement agency shall be valid in any other jurisdiction for no more than five consecutive days, or 15 days total, in any one calendar year.</p>				
<p>(e) Practitioner registration shall be renewed annually by a process to be determined by the local enforcement agency.</p>				
<p>119307.</p> <p>(a) Prior to registering with the local enforcement agency, a practitioner shall complete a Bloodborne Pathogens Exposure Control Training program that is specific to his or her practice.</p>				
<p>(b) An owner shall provide Bloodborne Pathogens Exposure Control Training pursuant to the requirements of paragraph (2) of subdivision (g) of Section 5193 of Title 8 of the California Code of Regulations, or its successor, for all employees, contractors, and volunteers who perform duties within the decontamination and sterilization area or procedure area.</p>				
<p>(c) The Bloodborne Pathogens Exposure Control Training shall meet all of the following criteria:</p> <p>(1) Training shall be conducted by a person or persons who are knowledgeable in exposure control and infection prevention in the body art setting and who are authorized federal Occupational Safety and Health Administration General Industry Outreach Trainers.</p> <p>(2) Training and training materials shall be specific to performing body art.</p> <p>(3) Training shall include all of the following:</p> <p>(A) A copy and explanation of the California Occupational Safety and Health Administration Bloodborne Pathogens Standard contained in Section 5193 of Title 8 of the California Code of Regulations, or its successor.</p> <p>(B) A copy and explanation of Subchapter 11 of Title 17 of the California Code of Regulations.</p> <p>(C) A copy and explanation of applicable county, city, or city and county ordinances that pertain to bloodborne pathogen transmission control in body art.</p> <p>(D) Discussion of transmission, control, and symptoms of the diseases caused by bloodborne pathogens.</p> <p>(E) Discussion of tasks involved in performing body art and how those tasks may lead to exposure to bloodborne pathogens for the client or practitioner.</p> <p>(F) Discussion of the types and uses of personal protective equipment, such as disposable gloves, including an explanation of the limitations of the equipment.</p>				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>(G) Discussion of the types of tasks, proper task technique, and order of tasks before and after putting on and removing personal protective equipment, to avoid contamination.</p> <p>(H) Discussion of the importance of hand hygiene and a demonstration of proper hand hygiene techniques.</p> <p>(I) Discussion of choice, use, and storage of disinfectants and anti-septics.</p> <p>(J) Information on the signage required for biohazard materials and the importance of properly labeling chemicals and supplies.</p> <p>(K) Information on hepatitis B vaccine, including safety and accessibility.</p> <p>(L) Discussion of what constitutes a bloodborne pathogen exposure incident, including all of the following:</p> <ul style="list-style-type: none"> (i) Examples of bloodborne pathogen exposure, how the exposure occurred, and what actions to take to prevent or minimize future exposures. (ii) Risk of infection following a bloodborne pathogen exposure incident. (iii) Procedures to be followed after an exposure incident, including medical follow-up. <p>(M) Opportunities for interactive questions and answers with the instructor.</p>				
<p>(d) Each person required to complete a Bloodborne Pathogens Exposure Control Training program pursuant to this section shall annually complete a Bloodborne Pathogens Exposure Control Training update presented by a trainer eligible pursuant to paragraph (1) of subdivision (c).</p>				
<p>(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer.</p>				
<p>119308.</p> <p>(a) Before performing body art, the practitioner shall do all of the following:</p> <ul style="list-style-type: none"> (1) Wash his or her hands as follows: <ul style="list-style-type: none"> (A) Rinse his or her hands under running water. (B) Lather his or her hands with soap and use friction to clean all surfaces of the hands and fingers for at least 15 seconds and re-rinse his or her hands under running water to completely remove soap. (C) Dry his or her hands thoroughly with a single-use towel. (D) Turn off the tap by using a towel or by elbow- or foot-operated taps. (2) Put on a clean apron, bib, or lap pad over clean, dry clothing. (3) Put on personal protective equipment that is appropriate for the task. (4) Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with any object or surface other than the client's prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable examination gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves. 				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>(5) If the skin at the procedure site is to be shaved, the skin shall be first washed with soap and water. A single-use, disposable razor shall be used to shave the procedure site and then discarded into a sharps container.</p> <p>(6) Immediately prior to performing the body art, the client's skin shall be prepared with an antiseptic solution, antimicrobial, or microbicide, according to manufacturer's instructions, or with 70 percent isopropyl alcohol applied with a folded paper towel, cotton ball, gauze, or swab using a circular motion, gradually increasing the size of the circle until the entire procedure site is cleaned. The item used for application shall be discarded after use.</p>				
<p>(b) At the completion of the procedure, the practitioner shall do all of the following:</p> <p>(1) Answer questions regarding the procedure site.</p> <p>(2) Provide postprocedure instructions.</p> <p>(3) Place all used or discarded sharps waste in a sharps waste container.</p> <p>(4) Wash and disinfect reusable instruments as provided in subdivisions (d) and (e) of Section 119309.</p> <p>(5) Package and sterilize reusable instruments that may have come in contact with nonintact skin or mucosal surfaces.</p> <p>(6) Decontaminate the workstation and procedure area.</p>				
<p>119309.</p> <p>(a) The practitioner shall maintain a clean and sanitary environment.</p>				
<p>(b) All solid surfaces and objects in the procedure area and the decontamination and sterilization area that have come into contact with the client or the materials used in performing the body art, including, but not limited to, chairs, armrests, tables, counter-tops, and trays, shall be immediately decontaminated after each use and then disinfected by application of either of the following:</p> <p>(1) A disinfectant, used according to manufacturer's directions.</p> <p>(2) A proprietary hypochlorite product, registered with the federal Environmental Protection Agency and used according to the manufacturer's directions, or a 1:100 dilution of hypochlorite, prepared by mixing one part household bleach with 100 parts water, mixed within the past 24 hours. If the dilution of hypochlorite is used, the solution shall be left on the surface for 10 to 20 minutes before rinsing with water.</p>				
<p>(c) The surfaces and objects in the procedure area shall be disinfected again before use if the area has been used for any activity following its previous disinfection.</p>				
<p>(d) The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.</p>				
<p>(e) An instrument or other reusable item that comes into contact with nonintact skin or mucosal surfaces shall either be single use or be washed, disinfected, packaged, and sterilized after each procedure. Sterilization shall be accomplished pursuant to the procedures established in Section 119315 by steam autoclave.</p>				
<p>(f) An instrument or reusable item that does not come into contact with nonintact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces, and decontaminated after each procedure.</p>				
<p>(g) A reusable item that cannot be immediately washed, disinfected, and sterilized following completion of the body art procedure shall be placed in a basin of water with or without detergent.</p>				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
(h) Sterile instrument packs shall be evaluated before use, and if the integrity of a pack is compromised in any way, including, but not limited to, being torn, punctured, wet, or having evidence of potential moisture contamination, the instrument pack shall be discarded or reprocessed before use.				
(i) No food, drink, tobacco product, or personal effects are permitted in the procedure area. The practitioner shall not eat, drink, or smoke while performing a procedure. If a client requests to eat, drink, or smoke, the procedure shall be stopped and the procedure site shall be protected from possible contamination while the client leaves the procedure area to eat, drink, or smoke.				
(j) Branding shall not be done with another client in the procedure area. During the procedure, the practitioner and the client shall wear appropriate protective face filter masks.				
119310.				
(a) Jewelry placed in newly pierced skin shall be sterilized prior to piercing as specified in Section 119315 or shall be purchased presterilized. Sterile jewelry packs shall be evaluated before use and, if the integrity of a pack is compromised, including, but not limited to, being torn, wet, or punctured, the pack shall be discarded or reprocessed before use.				
(b) Only jewelry made of ASTM F138, ISO 5832-1, and AISI 316L or AISI 316LVM implant grade stainless steel, solid 14-karat through 18-karat yellow or white gold, niobium, ASTM F 136 6A4V titanium, platinum, or other materials found to be equally biocompatible shall be placed in newly pierced skin.				
(c) Ear piercing equipment with a disposable, single-use, presterilized clasp and stud may be used only for piercing the ear pursuant to Section 119304.				
(d) If measuring the body piercing site is necessary, clean calipers shall be used and the skin marked using clean toothpicks and ink.				
119311.				
(a) A product applied to the skin prior to tattooing or application of permanent cosmetics, including, but not limited to, stencils and marking and transfer agents, including pens, shall be single use and discarded into a waste container at the end of the procedure unless the product can be disinfected for reuse.				
(b) Only commercially manufactured inks, dyes, and pigments shall be used.				
(c) Inks, pigments, soaps, and other products in multiple use containers shall be dispensed in a manner to prevent contamination of the storage container and its remaining contents through the use of a single-use receptacle.				
(d) Inks and pigments shall be placed into clean, single-use receptacle. The inks and pigments remaining in the receptacle shall be discarded immediately upon completion of the procedure.				
(e) If a tray is used for inks or pigments, it shall be decontaminated after each procedure.				
(f) Only single-use needles and needle bars shall be used in tattooing and the application of permanent cosmetics. Needles and needle bars that are purchased in a nonsterilized state, shall be sterilized, pursuant to the process required by Section 119315.				
(g) Needles, needle bars, grommets, and razors shall be discarded into a sharps waste container immediately upon completion of the procedure.				
(h) Any part of a tattooing machine that may be touched by the practitioner during the procedure shall be covered with a disposable plastic sheath that is discarded upon				



Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
completion of the procedure, and the machine shall be decontaminated upon completion of the procedure.				
(i) A machine used to insert pigments shall be designed with removable tip parts between the tip and motor housing, and in a manner that will prevent backflow into enclosed parts of the motor housing.				
(j) A hand tool used to insert pigment shall be disposed of in a sharps container, with the sharps intact, unless the needle can be mechanically ejected from the hand tool.				
Comments:				
Article 4. Permanent Body Art Facilities				
119312.				
(a) A body art facility shall not conduct business without a valid health permit.				
(b) The application for a health permit for a body art facility shall include all of the following: <ul style="list-style-type: none"> (1) A copy of the facility's infection prevention control plan, as required by Section 119313. (2) A fee, as set by the local enforcement agency at an amount sufficient to cover the actual costs of administration of the program. Fees established by this section shall be used exclusively in support of activities pursuant to this chapter. 				
(c) The local enforcement agency shall issue a health permit after an investigation has determined that the proposed body art facility and its method of operation meets the specifications of the approved plans or conforms to the requirements of this article.				
(d) A health permit is valid only for the location of the facility and the time period indicated on the permit and may not be transferred to another owner or facility.				
(e) The health permit shall be posted in a conspicuous place at the body art facility. Certificates of registration for all practitioners performing body art in that facility shall also be prominently displayed either near the health permit or at the individual practitioner's procedure area if each practitioner has a designated area.				
(f) A person proposing to construct a practice site or mobile practice site, other than a temporary body art event booth, shall submit plans to the Plan Review Unit of the local enforcement agency, and pay a fee set by the local enforcement agency at an amount sufficient to cover the actual costs of the plan review process. The plans shall be approved in advance of the issuance of a building, plumbing, or electrical permit. All required corrections must be made and the body art facility approved to open before body art can be performed in the facility.				
119313.				
(a) A body art facility shall maintain and follow a written Infection Prevention and Control Plan, provided by the owner or established by the practitioners, specifying the procedures to achieve compliance with each applicable requirement of this chapter.				
(b) The Infection Prevention and Control Plan shall include all of the following: <ul style="list-style-type: none"> (1) Procedures for decontaminating and disinfecting environmental surfaces. (2) Procedures for decontaminating, packaging, sterilizing, and storing reusable instruments. (3) Procedures for protecting clean instruments and sterile instrument packs 				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>from exposure to dust and moisture during storage.</p> <p>(4) A set up and tear down procedure for any form of body art performed at the body art facility.</p> <p>(5) Techniques to prevent the contamination of instruments or the procedure site during the performance of body art.</p> <p>(6) Procedures for safe handling and disposal of sharps waste.</p>				
<p>(c) The Infection Prevention and Control Plan shall be revised when changes are made in infection prevention practices, procedures, or tasks.</p>				
<p>(d) Onsite training on the facility's Infection Prevention and Control Plan shall take place when tasks where occupational exposure may occur are initially assigned, any time there are changes in the procedures or tasks, and when new technology is adopted for use in the facility, but not less than once each year.</p>				
<p>(e) Records of training required pursuant to this section shall be maintained for three years and shall be available for inspection upon request of the enforcement officer</p>				
<p>119314.</p> <p>(a) With the exception of a temporary demonstration booth and a mobile site, as specified in Sections 119317 and 119318, a body art facility shall comply with all of the following:</p> <p>(1) Have floors, walls, and ceilings that are smooth, nonporous, and washable.</p> <p>(2) Be free of insect and rodent infestation.</p> <p>(3) Be separate from any residential areas used for sleeping, bathing, or meal preparation. A body art facility associated with a residential dwelling shall have a separate entrance and toilet facility, and shall not have a door allowing direct access between the <i>body</i> art facility and the residential dwelling.</p>				
<p>(b) Procedure areas in a body art facility shall meet all of the following standards:</p> <p>(1) Be equipped with a light source of least 150 foot-candles of light at the procedure area.</p> <p>(2) Be separated, by a wall or ceiling-to-floor partition, from nail and hair activities.</p> <p>(3) Be equipped with a sink supplied with hot and cold running water, containerized liquid soap, and single-use paper towels that are dispensed from a wall-mounted, touchless dispenser that is accessible to the practitioner.</p>				
<p>(c) Decontamination and sanitation areas within a body art facility shall meet all of the following requirements:</p> <p>(1) Be separated from procedure areas by a space of at least five feet or by a cleanable barrier.</p> <p>(2) Be equipped with a sink, hot and cold running water, liquid soap in a wall-mounted dispenser, and single-use paper towels dispensed from a wall-mounted, touchless dispenser that is readily accessible to the practitioner.</p>				
<p>(d) Each procedure area and decontamination and sterilization area shall have waste containers lined with plastic bags specifically manufactured for use in waste containers and large enough to fold over the top rim of the waste container by a minimum of one inch.</p>				
<p>(e) Each procedure area and decontamination and sterilization area shall have a container for the disposal of sharps waste that meets the following requirements:</p> <p>(1) The sharps waste container shall be portable, if portability is necessary to ensure that the sharps waste container is within arm's reach of the practitio-</p>				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>ner.</p> <p>(2) The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD."</p> <p>(3) All sharps waste produced during the process of tattooing, body piercing, or the application of permanent cosmetics shall be disposed by either of the following methods:</p> <p>(A) Removal and disposal by a company, or removal and transportation through a mail-back system approved by the department pursuant to subdivision (b) of Section 118245.</p> <p>(B) As solid waste after being disinfected by a method approved by either the department pursuant to paragraph (3) of subdivision (a) of Section 118215.</p>				
<p>(f) No animals shall be allowed in the procedure area or the decontamination and sterilization area.</p>				
<p>119315. A body art facility shall conform to the following sterilization procedures:</p> <p>(a) Clean instruments to be sterilized shall first be sealed in peel-packs that contain either a sterilizer indicator or internal temperature indicator. The outside of the pack shall be labeled with the name of the instrument, the date sterilized, and the initials of the person operating the sterilizing equipment.</p>				
<p>(b) Sterilizers shall be loaded, operated, cleaned, and maintained according to manufacturer's directions, and shall meet all of the following standards:</p> <p>(1) Only equipment manufactured for the sterilization of medical instruments shall be used.</p> <p>(2) Sterilization equipment shall be tested using a commercial biological indicator monitoring system after the initial installation, after any major repair, and at least once per month. The expiration date of the monitor shall be checked prior to each use.</p> <p>(3) Each sterilization load shall be monitored with mechanical indicators for time, temperature, pressure, and Class V integrators. Each individual sterilization pack shall have Class V integrators.</p> <p>(4) Biological indicator monitoring test results shall be recorded in a log that shall be kept on site for two years after the date of the results.</p> <p>(5) A written log of each sterilization cycle shall be retained on site for two years and shall include all of the following information:</p> <p>(A) The date of the load.</p> <p>(B) A list of the contents of the load.</p> <p>(C) The exposure time and temperature.</p> <p>(D) The results of the Class V integrator.</p> <p>(E) For cycles where the results of the biological indicator monitoring test are positive, how the items were cleaned, and proof of a negative test before reuse.</p>				
<p>(c) Clean instruments and sterilized instrument packs shall be placed in clean, dry, labeled containers, or stored in a labeled cabinet that is protected from dust and moisture.</p>				
<p>(d) Sterilized instruments shall be stored in the intact peel-packs or in the sterilization equipment cartridge until time of use.</p>				
<p>(e) Sterile instrument packs shall be evaluated at the time of storage and before use. If the integrity of a pack is compromised, including, but not limited to, cases where the</p>				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
pack is torn, punctured, wet, or displaying any evidence of moisture contamination, the pack shall be discarded or reprocessed before use.				
(f) A body art facility that does not afford access to a decontamination and sterilization area that meets the standards of subdivision (c) of Section 119314 or that does not have sterilization equipment shall use only purchased disposable, single-use, presterilized instruments. In place of the requirements for maintaining sterilization records, the following records shall be kept and maintained for one year following the use of the instruments at the site of practice for the purpose of verifying the use of disposable, single-use, presterilized instruments: (1) A record of purchase and use of all single-use instruments. (2) A log of all procedures, including the names of the practitioner and client and the date of the procedure.				
119316. (a) If a practitioner performs body art in a vehicle, a health permit is required if the practitioner will practice in the vehicle in the jurisdiction for more than seven days in a 90-day period. To obtain a health permit, the vehicle shall meet the requirements set forth in subdivisions (b) to (g), inclusive, of Section 119317.				
(b) If the vehicle will be operating in the jurisdiction for less than seven days in a consecutive 90-day period, the vehicle shall be treated as a temporary booth and will be subject to Section 119317.	N/A			
Comments:				
Article 5. Temporary Body Art Facilities				
119317. A practitioner may, in the local jurisdiction of registration, practice in a temporary demonstration booth for no more than seven days in a 90-day period. The demonstration booth shall meet all of the following requirements: (a) Be located within a building that has hand-washing facilities with hot and cold running water, soap, and single-use paper towels to which practitioners have direct access. (b) Constructed with a partition of at least three feet in height separating the procedure area from the public. (c) Be free of insect or rodent infestation. (d) Used exclusively for performing body art. (e) Equipped with at least 150 foot-candles of light available at the level where the practitioner is performing body art. (f) Equipped with hand washing equipment that, at a minimum, consists of containerized liquid soap, single-use paper towels, a five-gallon or larger container of potable water accessible via spigot, and a waste water collection and holding tank of corresponding size. Potable water shall be refilled and the holding tank evacuated at least every four procedures or every four hours, whichever occurs first. (g) Not allow animals within the confines of the demonstration booth.				
119318. (a) The sponsor of a temporary body art event shall apply for and obtain a sponsor's permit from the local enforcement agency in the jurisdiction where the event will be held.				
(b) The sponsor of a temporary body art event shall be responsible for ensuring the availability of support facilities and supplies for practitioners and vendors, including, but not limited to:				

Requirement	Compliance Verification			Does Not Comply
	Verbal	Written	Observation	
<p>(1) Access to a potable water supply.</p> <p>(2) Restrooms that have flush toilets supplied with toilet paper, and hand wash sinks supplied with hot and cold potable running water, soap, and single-use paper towels to which practitioners have direct access.</p> <p>(3) Sharps waste containers for each demonstration booth.</p> <p>(4) The use of a licensed medical waste disposal company for removal of all sharps waste containers used during the body art event.</p> <p>(5) Frequent trash pickup from demonstration booths.</p> <p>(6) An eye wash station.</p> <p>(7) A decontamination and sterilization area that is separated from a procedure area by at least five feet or by a cleanable barrier.</p> <p>(8) Adequate backup supplies that have been stored in compliance with subdivision (d) of Section 119315 and that can be purchased by practitioners, including, but not limited to:</p> <p>(A) Presterilized tattoo needles.</p> <p>(B) Presterilized needle tubes.</p> <p>(C) Presterilized piercing instruments, including, but not limited to, needles, receiving tubes, corks, marking tools, and forceps.</p> <p>(D) Plastic bags, barrier film, clip cord covers, and plastic wrap.</p> <p>(E) Ink cups.</p> <p>(F) Nitrile and latex gloves.</p> <p>(G) Single-use tubes of water-based and petroleum-based lubricants.</p> <p>(H) Absorbent dressing materials.</p>				
<p>(c) The name, telephone number, and directions to an emergency room near the body art temporary event shall be posted in a conspicuous location.</p>				
<p>(d) Each practitioner working in a booth at a temporary body art event shall display his or her certificate of registration, or keep the certificate in a folder that is available for inspection upon request of the enforcement officer or a client.</p>				
<p>Comments:</p>				